


FAIRCHILD

REVERSING RELAY

Model 25



www.housengj.com

13779968079



FAIRCHILD
INDUSTRIAL PRODUCTS COMPANY

GENERAL INFORMATION

MODEL 25 REVERSING RELAY

APPLICATIONS

The Model 25 Reversing Relay provides an output which will decrease in direct proportion to an increase in input pressure.

FEATURES

Performance

- A Balanced Supply Valve minimizes the effects of supply pressure variation.
- Aspirator Tube minimizes downstream pressure droop under flowing conditions.

Functional

- Flow of up to 40 SCFM with 100 psig Supply allows use in applications requiring high flow capacity.

Physical

- A Separate Control Chamber isolates the diaphragm from the main flow, eliminating hunting and buzzing.
- Mounting Bracket available.

NOTE:

The information for this catalog sheet is being upgraded to electronic format and will be available soon. Please go to the Information Request section of this web site to order the latest printed revision.

— ORDERING INFORMATION —

Catalog Number	2 5	□	□	□
Pressure Range				
psig	[BAR]	(kPa)		
0-10	[0-0.7]	(0-70)	(42)	
0.5-30	[0.03-2]	(3-200)	(43)	
1-60	[0.1-4]	(10-400)	(44)	
2-150	[0.15-10]	(15-1000)	(46)	
Pipe Size				
1/4" NPT				(2)
3/8" NPT				(3)
1/2" NPT				(4)
Options				
Tapped Exhaust				(E)
BSPT (Tapered)				(U)
BSPP (Parallel) ¹				(H)

¹ BSPP Threads in Inlet & Outlet Ports Only. Others BSPT.

Housen development (Intl) Co., Ltd
T:86-592-6054592
F:86-592-6054591
<http://www.housengj.com>



FAIRCHILD
 INDUSTRIAL PRODUCTS COMPANY
 3920 WEST POINT BLVD. WINSTON-SALEM, NC 27103-6708
 TEL 336-659-3400 FAX 336-659-9323



FM NO. 25571

www.fairchildproducts.com